



FENAN CE Chemical Gas mask Manufacturer Factory

The Gas mask is an air purifying full face mask respirator, and shall be mainly used to prevent the user from the inhalation of pollutants, such as harmful gas, dust, smoke, etc. It can provide respiratory protection for the workers in the industries, such as chemical industry, petrochemical industry, pharmaceuticals industry, painting factory, gasworks, etc.

Brand: FENAN

Model: BW1000

Cartridge Quantity: 1 or 2

Total Visual Field: >80%

Binocular Field of Vision: $\geq 62\%$

Product Details

Gas Mask Application

Gas Mask can effectively protect users' face, eyes and respiratory tract from the damaging of * biological agents, and radioactive fallout.

Gas Mask is widely used in industrial, agricultural, medical and scientific research *



Gas Mask Components

Gas Mask is composed of the silicone cover, the five point head, cylindrical view window lens, voice calls, cover nose and mouth, exhalation valve, etc.

1 .Silicone gas mask

The silicone mask body is particularly soft on the skin and remains extremely flexible at high and low temperatures.

2 .Anti fog lens, PC visor

The mask is equipped with a PC anti-fogging visor with large wide angle, which guarantees a large field of vision with panoramic view.

3 .Five adjustable headbands

The comfortable five point head harness enables that the mask can be donned easily and quickly and is wide enough to prevent any pressure points on the wearer's head.

Details

- | | |
|---------------------|------------------------------|
| 1. Inlet base | 2. Threaded inlet of mask |
| 3. Mouth-nose cup | 4. Lens |
| 5. Mask body | 6. Five-point harness straps |
| 7. Inhalation valve | |

Brand	FENAN	Inhalation Resistance	≤25 pa (30L/min)	
Model	BW1000	Exhalation Resistance	≤76pa	
Cartridge Quantity	1 or 2	Oil Mist Transmittance	≤0.0005	
Total Visual Field	>80%	Mask Leakage Factor	≤2%	
Binocular Field of Vision	≥62%	Anti-Cyanogen Chloride Time	≥30 minutes at 30L/min, 1.5mg/L, 80% RH	
Color	Black, red, yellow, blue, or customized	Packing	Box (1pc)	23*19.5*12cm
Material	PC visor+ silicone mask body		Carton (20pcs)	61*49*40cm
Duration	Depends on cartridge type	N.W./G.W. (per pc)		0.83kg/0.88kg

* Scratch resistant, anti-fogging lens.

* Distortion-free lens with exceptional view, the vision rate reaches above 91%.

* Comfortable, durable silicon skirt, not irritating to the skin.

* With five-strap head-harness, quick adjustment, mask can be positioned optimally

* With speaking diaphragm.

* RD40 connection

* Delicate and beautiful appearance, exquisite workmanship.

Configuration

Main parts including the silicon cover, the five point head, spherical view window lens, voice calls, cover nose and mouth, exhalation valve, etc.

IMIS Co,